ELSEVIER

www.elsevier.nl/locate/jorganchem

Journal of Organometallic Chemistry 611 (2000) 611–614

Journal of Organometallic Chemistry

Contents of Volume 611

Preface 1

Introduction to The Chemistry of Interelement Linkage
K. Tamao, S. Yamaguchi 3

New type of polysilanes: poly(1,1-silole)s
K. Tamao, S. Yamaguchi 5

Synthesis and structures of polysilacage compounds containing a silicon–silicon inter-element linkage
M. Shimizu, T. Hiyama, T. Matsubara, T. Yamabe 12

Stereospecific formation of optically active trialkylsilyllithiums and their configurational stability
M. Omote, T. Tokita, Y. Shimizu, I. Imae, E. Shirakawa, Y. Kawakami 20

Electroreductive synthesis of oligosilanes and polysilanes with ordered sequences
M. Ishifune, S. Kashimura, Y. Kogai, Y. Fukuhara, T. Kato, H.-B. Bu, N. Yamashita, Y. Murai, H. Murase, R. Nishida 26

Alkoxide initiation of anionic polymerization of masked disilenes to polysilanes
T. Sanji, K. Kawabata, H. Sakurai 32

Molecular structure and packing of organopolysilanes
S. Furukawa 36

Optical properties of organic–inorganic hybrid thin films containing polysilane segments prepared from polysilane–methacrylate copolymers
S. Mimura, H. Naito, Y. Kanemitsu, K. Matsukawa, H. Inoue 40

Thermochromism and solvatochromism of non-ionic polar polysilanes
K. Oka, N. Fujiue, S. Nakanishi, T. Takata, R. West, T. Dohmaru 45

Syntheses, structures, and properties of ladder oligosilanes and ladder oligogermanes
H. Matsumoto, S. Kyushin, M. Unno, R. Tanaka 52

Optical properties of pyrrolyl-substituted polysilanes
S. Seki, Y. Kunimi, K. Nishida, K. Aramaki, S. Tagawa 64

Photophysical and photochemical processes of 9,10-dihydro-9-silaanthracenes: photochemical generation and electronic structure of 9-phenyl-9-silaanthracene
H. Hiratsuka, M. Tanaka, H. Horiuchi, Naris, T. Yoshinaga, M. Oba, K. Nishiyama 71

Photochemical bis-silylation of C_{60}: synthesis of a novel C_{60} main chain polysilane
T. Wakahara, T. Kondo, M. Okamura, T. Akasaka, Y. Hamada, T. Suzuki, M. Kako, Y. Nakadaira 78

Energy transfer in highly oriented permethyl-dodecasilane and -octadecasilane films
H. Tada, T. Tojo, M. Kako, Y. Nakadaira, K. Matsushige 85

Stabilized bismuthonium ylides bearing a highly cross-conjugated ylidic carbon atom: synthesis, structures, and reactions
Y. Matano, H. Nomura, H. Suzuki 89

Substitution at the chiral bismuth center of optically pure diastereomeric iodobismuthanes bearing an intramolecular Bi–N coordination bond. Inversion of the configuration by aryl-Grignard reagents
T. Murafuji, I. Makabe, K. Nishio, Y. Sugihara, Y. Mikata, S. Yano 100

Unsaturated cyclic compounds possessing disulfide linkage
T. Shimizu, N. Kamigata 106

Transannular and intermolecular interactions between chalcogen atoms: syntheses and properties of dichalcogena dications and trichalcogena hypervalent dications
N. Furukawa, K. Kobayashi, S. Sato 116

Oxidation of tetrathiolanes: isolation of a *vic*-disulfoxide, 5-(1-adamantyl)-5-*tert*-butyltetrathiolane 2,3-dioxide and its decomposition to the dithiirane 1-oxide and 'S_2O'
A. Ishii, M. Nakabayashi, Y.-N. Jin, J. Nakayama. 127

Synthesis, structure, and one-electron redox reactions of 4,7-disubstituted benzotrichalcogenoles containing sulfur and/or selenium atoms
S. Ogawa, T. Ohmiya, T. Kikuchi, A. Kawaguchi, S. Saito, A. Sai, N. Ohyama, Y. Kawai, S. Niizuma, S. Nakajo, T. Kimura, R. Sato
136

Syntheses and structures of novel *m*-xylylene-bridged calix[6]arenes: stabilization of a sulfenic acid in the cavity of calix[6]arene
T. Saiki, K. Goto, N. Tokitoh, M. Goto, R. Okazaki 146

Fluoro-functionalization mediated by the reactive chalcogen reagents
K. Uneyama 158

Structural characteristics of areneselenenyl bromide and areneselenenyl chloride stabilized by hypervalent coordination with a halide anion in the solid state
M. Iwaoka, H. Komatsu, S. Tomoda. 164

Desulfurilative self-coupling reaction of 1,3-thiazolidine-2-thiones and intramolecular non-bonded S···S interaction in the crystallographic structure of the products
Y. Nagao, H. Nishijima, H. Iimori, H. Ushirogochi, S. Sano, M. Shiro 172

Inter-element linkage in 1,2- and 1,4-bis(arylselanyl)benzenes with halogens
W. Nakanishi, S. Hayashi 178

Structural analysis of phenyl-germanium, -tin, and -lead dithiocarboxylates [$(RCSS)_xMPh_{4-x}$, M = Ge, Sn, Pb; $x = 1–3$]: affinity between thiocarbonyl sulfur and Group 14 elements
S. Kato, K. Tani, N. Kitaoka, K. Yamada, H. Mifune 190

The chemistry of Group 15 element porphyrins bearing element–carbon bonds: synthesis and properties
Y. Yamamoto, K.-y. Akiba 200

Protecting groups for stabilization of inter-element linkages
M. Yoshifuji 210

New aspects in the chemistry of low-coordinated inter-element compounds of heavier Group 15 elements
N. Tokitoh 217

Stable aromatic compounds containing heavier Group 14 elements
V.Y. Lee, A. Sekiguchi, M. Ichinohe, N. Fukaya. 228

Stable cyclic and acyclic persilyldisilenes
M. Kira, T. Iwamoto 236

Silicon–carbon unsaturated compounds. 62. Reactions of silenes produced thermally from pivaloyl- and adamantoyltris(trimethylsilyl)silane with mono(silyl)acetylenes
A. Naka, M. Ishikawa 248

Small ring compounds containing highly coordinate Group 14 elements
T. Kawashima 256

Triple bonds between heavier Group 14 elements. A theoretical approach
S. Nagase, K. Kobayashi, N. Takagi 264

The structures of $[Ph_2XS–N–SPh_2NH]^+$ cations (X=NH, O)
T. Yoshimura, T. Fujii, S. Murotani, S. Miyoshi, T. Fujimori, M. Ohkubo, S. Ono, H. Morita 272

An ab initio study on the structure and reactivity of 1,4-disilabenzene
S.-Y. Kang, K. Yoshizawa, T. Yamabe, A. Naka, M. Ishikawa 280

Bonding nature and reaction behavior of inter-element linkages with transition metal complexes. A theoretical study
S. Sakaki, B. Biswas, Y. Musashi, M. Sugimoto 288

Preparation of ethylene-bridged Group 14 metal–zirconocene complexes
Y. Ura, R. Hara, T. Takahashi 299

Reaction of silazirconacyclopentene formed from zirconium–silene complex and alkyne with isocyanide
S. Kuroda, Y. Sato, M. Mori 304

Reactions of a novel quadruply chelated molybdenum–silyl complex with β-dicarbonyl compounds
T. Ito, K. Shimada, T. Ono, M. Minato, Y. Yamaguchi 308

Synthesis and structures of bis(silylene)iron complexes containing new six-membered chelate rings
H. Tobita, T. Sato, M. Okazaki, H. Ogino 314

Structure and chemical properties of mononuclear and dinuclear silylrhodium complexes. Activation of the Si–C bond and formation of Si–Cl and Si–SR bonds promoted by Rh complexes
K. Osakada. 323

The chemistry of organo(silyl)platinum(II) complexes relevant to catalysis
F. Ozawa 332

Structure and fluxional behavior of platinum and palladium complexes having M–Si or M–Sn (M = Pt or Pd) inter-element linkages
Y. Tsuji, Y. Obora 343

The chemistry of transition metal complexes containing a phosphenium ligand
H. Nakazawa 349

Preparation and properties of oxometallate complexes with sulfur-rich dithiolate ligands, $[M(O)(C_8H_4S_8)_2]^{2-}$ (M = V(IV) and Mo(IV)) salts, and high electrical conductivity of their oxidized species
G.-e. Matsubayashi, M. Nakano, K. Saito, T. Yonamine, R. Arakawa 364

Synthesis, structure, and properties of sulfido-bridged dinuclear tungsten(V) complex of dithiolene, $(Pr_4N)_2[W_2(\mu\text{-}S)_2\{S_2C_2(CO_2Et)_2\}_4]$
K. Umakoshi, E. Nishimoto, M. Sokolov, H. Kawano, Y. Sasaki, M. Onishi 370

Formation and reaction of three-membered cobaltathiaziridine ring in (η^5-cyclopentadienyl)(substituted imido-κ*N*-thio-κ*S*-ethene-2-thiolato-κ*S*)cobalt(III). Ring opening and closure and transfer of imido group
M. Nomura, T. Yagisawa, C. Takayama, T. Sugiyama, Y. Yokoyama, K. Shimizu, A. Sugimori, M. Kajitani 376

Formation of μ_4-Se_2 complex by the oxidative coupling of μ-SeH complex: double-site atomic inversion of the μ_4-Se_2 complex $[\{(Cp^*Rh)_2(\mu\text{-}CH_2)_2\}_2(\mu_4\text{-}Se_2)]^{2+}$ ($Cp^* = \eta^5$-C_5Me_5)
H. Shimomura, T. Nishioka, M. Abe, I. Kinoshita, K. Isobe. 386

Chemistry of Group 13 element-transition metal linkage — the platinum- and palladium-catalyzed reactions of (alkoxo)diborons
T. Ishiyama, N. Miyaura. 392

Palladium-catalyzed regioselective silaboration of 1,2-dienes
M. Suginome, Y. Ohmori, Y. Ito 403

C_{60}-sensitized bis-silylation of nitrile and carbonyl compounds with disilirane
Y. Maeda, R. Sato, T. Wakahara, M. Okamura, T. Akasaka, M. Fujitsuka, O. Ito, K. Kobayashi, S. Nagase, M. Kako, Y. Nakadaira, E. Horn. 414

A 3,4-benzo-1,2-germacyclobut-3-ene and related compounds. Palladium-catalyzed σ-metathesis, dehydrogenative coupling and hydrogermylation of the Ge–Ge σ-bond
H. Komoriya, M. Kako, Y. Nakadaira, K. Mochida 420

Palladium-catalyzed carbostannylation by means of reagents containing carbon–tin–halogen inter-element linkages
K. Fugami, K. Kawata, T. Enokido, Y. Mishiba, S. Hagiwara, Y. Hirunuma, D. Koyama, M. Kameyama, M. Kosugi 433

Synthesis of optically active phenylglycine derivatives from *Ss*-(+)-*N*-(benzylidene)-*p*-toluenesulfinamide by using Lewis acids and *tert*-amines
H. Nemoto, R. Ma, H. Moriguchi, I. Suzuki, M. Shibuya 445

Reaction of silyl thioketones with lithium diethylphosphite: first observation of Thia–Brook rearrangement
K. Takeda, K. Sumi, S. Hagisawa 449

Chalcogenide-$TiCl_4$-mediated reactions of *S*-ethyl thioacrylate with aldehydes
T. Kataoka, T. Iwama, H. Kinoshita, Y. Tsurukami, S. Tsujiyama, M. Fujita, E. Honda, T. Iwamura, S.-i. Watanabe 455

Activation and reactivity of Group 16 inter-element linkage — transition-metal-catalyzed reactions of thiols and selenols
A. Ogawa 463

Asymmetric imidation of organic selenides into selenimides
Y. Miyake, M. Oda, A. Oyamada, H. Takada, K. Ohe, S. Uemura 475

The reaction of 1,2,3-selenadiazole with olefins
Y. Nishiyama, Y. Hada, K. Iwase, N. Sonoda 488

Nucleophilic vinylic substitutions of λ^3-vinyliodanes
M. Ochiai 494

Reactions of diaryliodonium trifluoromethanesulfonates with low-valent ytterbium and samarium reagents
Y. Makioka, Y. Fujiwara, T. Kitamura 509

Quantum chemical study of parasitic reaction in III–V nitride semiconductor crystal growth
K. Nakamura, O. Makino, A. Tachibana, K. Matsumoto 514

High electric field photocurrent of Vidicon and diode devices using wide band gap a-Si:H prepared with intentional control of silicon network by chemical annealing
W. Futako, T. Sugawara, T. Kamiya, I. Shimizu 525

Low-temperature growth of polycrystalline Si and Ge films by redox reactions of Si_2H_6 and GeF_4
J.-i. Hanna, K. Shimizu 531

Effects of the ethoxy and diethylamino substituent on the electrochemical and conducting properties of poly[(silanylene)oligothienylenes]
J. Ohshita, A. Takata, A. Kunai, M. Kakimoto, Y. Harima, Y. Kunugi, K. Yamashita 537

High-pressure synthesis and structure of a new silicon clathrate $Ba_{24}Si_{100}$
H. Fukuoka, K. Ueno, S. Yamanaka 543

Preparation and crystal structure of chromium silicon selenide containing a B_{12} icosahedron with a tunnel structure
M. Sugimori, H. Fukuoka, H. Imoto, T. Saito 547

Synthesis and characterization of N-confused porphyrinatoantimony(V): toward a low energy gap molecular wire
T. Ogawa, H. Furuta, M. Takahashi, A. Morino, H. Uno 551

^{121}Sb, ^{57}Fe and ^{127}I Mössbauer spectroscopic study on antimony-transition metal bond in metal carbonyl derivatives of tertiary stibines
A. Ishiguro, M. Takahashi, M. Takeda 558

Self-assembled monolayers with oligo-ethyleneoxy linkages on flat and curved gold surfaces
H. Nakai, H. Fujihara 566

Reaction of organocobalt polymers with isocyanide. Synthesis of novel poly[(η^5-cyclopentadienyl)(η^5-amino-cyclopentadienyl)cobalticinium-diyl-*alt*-biphenyl-4,4′-diyl)]s
I. Tomita, J.-C. Lee, T. Endo 570

Synthesis, structure of copper(II) complexes of S-containing pentadentate ligands
M. Otsuka, A. Hamasaki, H. Kurosaki, M. Goto 577

Synthesis and superoxide dismutase activity of novel iron complexes
M. Tamura, Y. Urano, K. Kikuchi, T. Higuchi, M. Hirobe, T. Nagano 586

Effects of Cys10 mutation to Ala in glutathione transferase from *Escherichia coli*
H. Inoue, M. Nishida, K. Takahashi 593

Author Index of Volume 611 597
Subject Index of Volume 611 599
Contents of Volume 611 611